

Title: Upgrade Instructions

Subject: eDokumenty - elektroniczny system obiegu dokumentów, workflow i CRM - TracUpgrade

Version: 1

Date: 05/06/26 16:57:39

Table of Contents

| | |
|--------------------------------------|---|
| <i>Upgrade Instructions</i> | 3 |
| <i>Instructions</i> | 3 |
| <i>Update the Trac Code</i> | 3 |
| <i>Upgrade the Trac Environment</i> | 3 |
| <i>Update the Trac Documentation</i> | 3 |
| <i>Trac Macros, Plugins</i> | 3 |
| <i>Restart the Web Server</i> | 4 |
| <i>Known Issues</i> | 4 |
| <i>parent dir</i> | 4 |
| <i>some core modules won't load</i> | 4 |
| <i>Wiki Upgrade</i> | 4 |
| <i>Changing Database Backend</i> | 4 |
| <i>SQLite to PostgreSQL</i> | 4 |
| <i>Older Versions</i> | 4 |

Upgrade Instructions

A [Trac environment](#) needs to be upgraded before it can be used with Trac 0.11. This document describes the steps necessary to upgrade an environment.

Environment upgrades are not necessary for minor version releases unless otherwise noted.

Instructions

Typically, there are four steps involved in upgrading to a newer version of Trac:

Update the Trac Code

Get the new version as described in [TracInstall](#), or your operating system specific procedure.

If you do a manual (not operating system specific) upgrade, you may also later on want to remove the existing Trac code by deleting the `trac` directory from the `Python lib/site-packages` directory.

The location of the `site-packages` directory depends on the operating system, and the location in which Python was installed. However, the following locations are common:

- If you're using Linux: `/usr/lib/python2.X/site-packages`
- If you're using Windows: `C:\Python2.X\lib\site-packages`
- If you're using MacOSX: `/Library/Python2.X/site-packages`

You may also want to remove the `Trac cgi-bin`, `htdocs`, `templates` and `wiki-default` directories that are commonly found in a directory called `share/trac` (the exact location depends on your platform).

If you had the webadmin plugin installed, you can now uninstall it as it is now part of the Trac code base.

Upgrade the Trac Environment

After restarting, Trac should show the instances which need a manual upgrade via the automated upgrade scripts to ease the pain. These scripts are run via [trac-admin](#):

```
trac-admin /path/to/projenv upgrade
```

This command will do nothing if the environment is already up-to-date.

Note that if you are using a PostgreSQL database, this command will fail with the message that the environment can only be backed up when you use an SQLite database. This means that you will have to backup the repository and the database manually. Then, to perform the actual upgrade, run:

```
trac-admin /path/to/projenv upgrade --no-backup
```

If you are using custom CSS styles or modified templates in the `templates` directory of the [TracEnvironment](#), you will need to convert them to the Genshi way of doing things. To continue to use your style sheet, follow the instructions at [TracInterfaceCustomization#SiteAppearance](#).

Update the Trac Documentation

Every [Trac environment](#) includes a copy of the Trac documentation for the installed version. As you probably want to keep the included documentation in sync with the installed version of Trac, [trac-admin](#) provides a command to upgrade the documentation:

```
trac-admin /path/to/projenv wiki upgrade
```

Note that this procedure will of course leave your `WikiStart` page intact.

Trac Macros, Plugins

The Trac macros will need to be adapted, as the old-style `wiki-macros` are not supported anymore (due to the drop of ClearSilver and the HDF); they need to be converted to the new-style macros, see [WikiMacros](#). When they are converted to the new style, they need to be placed into the `plugins` directory instead and not `wiki-macros`, which is no longer scanned for macros or plugins.

Restart the Web Server

If you are not running [CGI](#), reload the new Trac code by restarting your web server.

Known Issues

parent dir

If you use a trac parent env configuration and one of the plugins in one child does not work, none of the children work.

some core modules won't load

This can happen in particular with Python 2.3 on Windows when upgrading without uninstalling first. Some modules were previously capitalized and were changed to lower case, e.g. trac/About.py became trac/about.py. You may find such messages in the Trac log:

```
ERROR: Skipping "trac.about = trac.about": (can't import "No module named about")
```

Remove the Lib/site-packages/trac folder and reinstall.

Wiki Upgrade

trac-admin will not delete or remove pages that were in version 0.10 but now are not in version 0.11, such as [WikiMacros](#).

Changing Database Backend

SQLite to PostgreSQL

The [sqlite2pg](#) script on [trac-hacks.org](#) has been written to assist in migrating a SQLite database to a PostgreSQL database

Older Versions

For upgrades from former versions refer to [wiki:0.10/TracUpgrade?](#).

See also: [TracGuide](#), [TracInstall](#)